

Regulatory Circular RG00-143

Date: September 18, 2000
To: Members and Member Firms
From: The Index Market Performance Committee
Re: Long Term Index Option Series ("LEAPS") on the CBOE Mini-NDX (MNX) Index

The Index Market Performance Committee (the "Committee") has recently reviewed the market conditions in the basket of stocks underlying MNX LEAPS options. The Committee has also reviewed the modified bid/ask differentials which are being applied to MNX LEAPS options in consideration of the width of the market in the basket of underlying stocks. As a result of that review and in accordance with Rule 8.7(b)(iv), the Committee has determined to continue the extension of the bid/ask differentials relief. The modified bid/ask differentials are as follows:

- If the bid is less than \$1, the bid/ask spread may be up to 1/8 point wide.
- If the bid is from \$1 to \$2, the bid/ask spread may be 3/16 point wide.
- If the bid is from \$2 1/16 to \$3, the bid/ask spread may be 1/4 point wide.
- If the bid is from \$3 1/8 to \$4, the bid/ask spread may be 3/8 point wide.
- If the bid is from \$4 1/8 to \$6, the bid/ask spread may be 1/2 point wide.
- If the bid is above \$6 1/8 to \$9, the bid/ask spread may be 3/4 point wide.
- If the bid is above \$9 1/8 to \$14, the bid/ask spread may be 1 point wide.
- If the bid is above \$14 1/8 to \$20, the bid/ask spread may be 1 1/4 points wide.
- If the bid is above \$20 1/8 to \$60, the bid/ask spread may be 1 1/2 points wide.
- If the bid is above \$60 1/8 to \$80, the bid/ask spread may be 2 points wide.
- If the bid is above \$80 1/8, the bid/ask spread may be 2 1/2 points wide.

The above bid/ask differentials are the maximum allowable. In many instances, however, the actual market width may be narrower than the above stated. This extended relief is granted from the opening September 18, 2000 through the October 2000 Expiration Cycle unless withdrawn by the Committee prior to that time.

Any questions regarding this memorandum may be directed to Daniel Hustad at (312) 786-7715.

Replaces Regulatory Circular 00-127